




Independent 4 Life

AKW Braddan Surface Mounted SHWR Tray, w/ Upward Pumped Waste - Choice of Size

£445.20 Inc. VAT

Product Code: BRADDAN-UPW

Product Images







Product Options

Tray Size (mm)	Price Inc. VAT
800x800	£445.20
900x900	£445.20
1000x700	£499.20
1000x800	£445.20
1200x650	£445.20
1200x700	£445.20
1200x760	£459.60
1200x820	£472.80
1200x900	£472.80
1300x700	£445.20
1300x820	£472.80
1400x900	£445.20
1420x700	£469.20
1420x820	£499.20
1500x700	£474.00
1500x820	£501.60
1600x700	£490.80
1700x700	£506.40
1800x700	£506.40
1800x820	£540.00
1800x900	£540.00

Description

The AKW Braddan shower tray is available in a large range of sizes and offers easy installation. The tray is 40mm thick and can be installed as a corner or alcove and is suitable for unbreachable floors because of the

upward pumped waste, surface-mounted.

The trays are unhandled with a central waste outlet with pumped wastes.

The 1800mm long trays are supplied with a 'trim to length' kit, allowing up to 300mm to be cut off. Note: trimmed trays are only suitable for alcove installations, not corners.

Create the perfect shower room with the addition of a compatible AKW shower enclosure or door set from the Larenco, Level Best, Silverdale® and Standard Screens ranges.

Key benefits:

- Suitable for use on unbreachable floors
- Can be installed as a surface-mounted step-in shower enclosure (order shower doors or screen separately)
- The tray creates a visually defined showering area useful for those with visual impairment
- Slip resistance textured surface a safer showering experience for the user
- Excellent water drainage with a 35mm fall inside the tray
- 40mm thick multi-purpose tray
- Integral added strength for extra peace of mind
- No under tray foaming is needed for quick and easy installation
- Weight limit: 30 stone/190kg
- Non-handed shower trays for both left or right-handed installations
- Upward pumped waste included
- 1800mm trays can be cut down to 1500mm and supplied with a trim to length kit
- Three separate tiling upstands supplied. Ensures a watertight seal between tray and tiles and secure fitting of tray
- Optional pipe duct kit available to avoid the re-routing of existing pipework (order separately)
- Optional ramps: 20mm and 40mm straight/corner kits for surface-mounted installations (order separately)

Waste:

- Upward pumped waste included

Technical details:

- Tray height: 40mm
- Material composition:
 - - GRP (Glass-reinforced plastic) all trays except:
 - - SMC (sheet moulded compound) 1200x700; 1200x820; 1300x700; 1420x700; 1700x700 & 1800x700mm
- Weight limit: 30 stone/190kg
- Fall to Waste: 35mm
- Supplied with Pumped waste
- Screen Compatibility: Larenco, Level Best, Silverdale® and Standard Screens

Optional pipe duct kits to help with installation (order separately):

- The pipe duct fits on to the tray edge to avoid the re-routing of existing pipework
- Product Code: 25038 - 1800mm Pipe Duct and 2 Plastic End Caps
- Product Code: 25039 - 1000mm Pipe Duct and 2 Plastic End Caps
- Product Code: 25049 - Plastic Corner Assembly

Optional Aluminium Ramp Kits (order separately):

- The pipe duct fits on to the tray edge to avoid the re-routing of existing pipework

- Product Code: 25000 - 20mm Straight Ramp (length 1800mm)
- Product Code: 25002 - 40mm Straight Ramp (length 1800mm)
- Product Code: 25001 - 20mm Corner Ramp (for 900x900mm tray)
- Product Code: 25003 - 40mm Corner Ramp (for 900x900mm tray)
- Product Code: 25012 - Made-to-Measure

Warranty:

- Lifetime Warranty (please refer to AKW's terms and conditions)

Manufacturer product codes:

- Tray with Upward Pump Waste code: 16523, 16471, 16473, 16083, 16529, 16168, 16197, 16361, 16090, 16175, 16135, 16521, 16100, 16141, 16109, 16150, 16082, 16496, 16532, 16443, 16121, 16129, 16161, 16120

Additional Information

Manufacturer	AKW / Contour
Model	AKW - Braddan
Cut to Length Range (mm)	1500-1850
Tray Size (mm)	800x800, 820x820, 900x900, 1000x700, 1000x800, 1000x1000, 1200x650, 1200x700, 1200x760, 1200x820, 1200x900, 1300x700, 1300x820, 1400x900, 1420x700, 1420x820, 1500x700, 1500x820, 1600x700, 1700x700, 1800x700, 1800x820, 1800x900
Handing	Unhanded
Entry Configuration	Front Entry (Alcove), Corner Entry
Thickness of Tray (mm)	40
Waste Compatibility	Pumped Waste
Tray Edge for Floor Finish	Not Applicable
Ramp or Step Available	Ramp